CHROMATOGRAPHIA

An International Journal for Rapid Communication in Chromatography and Associated Techniques

Chromatographia Vol 29, 1990

Contents

Author Index

Subject Index

Key Word Index

Chromatographia Vol 29, Contents

Contents Vol. 29, No. 1/2, January 1990

Editorial

Financial Aid to Participate in International Symposia 1990 5

Originals

Determination of Saccharides by High Performance Anion-Exchange Chromatography with Pulsed Amperometric Detection 7
D. A. Martens/W. T. Frankenberger, Jr.

A Routine Gas Chromatographic Method for the Analysis of Chlorofluorocarbons in Aerosol Cans 13
S. C. Rastogi

Quantitative HPTLC Separation of Flavonoid Glycosides in the Taxonomy of Elm (*Ulmus* spp.) 16
Daniela Heimler/L. Mittempergher/P. Buzzini/V. Boddi

Determination of Free Formaldehyde in Nonwovens in the Presence of Glyoxalic Acid and Aldehydes 21
U. Schäfer-Lüderssen/M. Mauß

Automatic Measurement of Bentazone and Phenoxy Acid Herbicides by HPLC with Three Different Detectors 24
W. Schüssler

Re-Usability of Solid-Phase Extraction Columns During the HPLC Analysis of Some Macrolide Antibiotics in Serum and Urine 31
C. Stubbs/M. F. Skinner/I. Kanfer

Characterization of Specific Interactions Capacity of Solid Surfaces by Adsorption of Alkanes and Alkenes.
Part II: Adsorption on Crystalline Silica Layer Surfaces 35
G. Ligner/M. Sidqi/J. Jagiello/H. Balard/E. Papirer

The Achievement of Reproducible Temperature Programmed Retention Indices in Gas Chromatography when Using Different Columns and Detectors 39
H. F. Yin/L. Sun

Determination of Azidothymidine and Its Degradation Product Thymine in Pharmaceutical Dosage Forms by HPLC and HPTLC Densitometry 44
H. Tománková/J. Šabartová

An LCEC Method for the Analysis of Synthetic Amino Acids in Fruit Juices 51
A. Dyremark/M. Ericsson

An Optimized Direct Method for the Determination of Carboxylic Acids in Beverages by HPLC 54
R. M. Marcé/M. Calull/R. M. Manchobas/F. Borrull/F. X. Rius

Comparison and Characterization of Reversed Phases 59
H. Engelhardt/M. Jungheim

A Model for Quantitatively Describing Linear Velocity Programming in Capillary SFC 69
Susan V. Olesik/L. A. Pekay

Crown Ether-Alkali Salt Complexes as Modifiers for Normal Phase HPLC 76
A. Kaufmann

Evaluation of a Complete HPLC Solvent Optimization System Involving Piece-Wise Quadratic Modelling 79
Pamela J. Naish-Chamberlain/R. J. Lynch

Short Communication

Negentropy and Retention in Reversed Phase Liquid Chromatography 90
K. Sreenivasan

Contents Vol. 29, No. 3/4, February 1990

Editorial

R. E. Kaiser, 60th Birthday 113

Originals

Application of Selectivity Tuning in Series-Coupled Capillary GC Columns for the Exact Quantification of the Quenching Effect in FPD Detection 115
J. Efer/T. Maurer/W. Engewald

Utilisation of Liquid Chromatography in Aquatic Photodegradation Studies of Pesticides: A Comparison Between Distilled Water and Seawater 120
G. Durand/D. Barceló/J. Albaigés/M. Mansour

Stereoisomeric Flavour Compounds XXXVIII: Direct Chirospecific Analysis of γ-Lactones Using On-Line Coupled LC-GC with a Chiral Separation Column 125
H.-G. Schmarr/A. Mosandl/K. Grob

Phenylalanine as Eluent for Indirect Photometric Detection 131
K. Y. Jiang/M. C. Liu/Z. D. Hu/P. L. Zhu

Semi-Preparative High-Performance Liquid Chromatographic Separation of Ceralure and Related Isomers 135
J. D. Warthen, Jr./T. P. McGovern

Ion-Exchange Chromatography Using Vanadyl and Vandate Salts as Mobile Phases with Indirect Detection 139
N. D. Danielson/J. Wangsa/B. T. Jones/J. E. Carlson

Effect of Ion-Pairing Modifiers in the Separation of Cobalt, Copper, Iron, and Palladium by Pre-Column Derivatization and High Performance Liquid Chromatography 144
H. Sirén

Improved HPLC Determination of Aliphatic Amines in Air by Diffusion and Derivatization Techniques 151
M. Possanzini/V. Di Palo

Determination of Amino Acids in Apple Extracts by High Performance Liquid Chromatography 155
D. Blanco Gomis/A. M. Picinelli Lobo/M. D. Gutiérrez Alvarez/J. J. Mangas Alonso

Simulated Counter-Current Moving Column Chromatography used in the Continuous Separation of Carbohydrate Mixtures 161
P. E. Barker/A. Knoechelmann/G. Ganetsos

Absorption Method for Rapid Decontamination of Solutions of Ethidium Bromide and Propidium Iodide 167
F. D. Menozzi/A. Michel/H. Pora/A. O. A. Miller

Synthesis and Chromatographic Properties of an HPLC Chiral Stationary Phase Based upon Human Serum Albumin 170
E. Domenici/C. Bertucci/P. Salvadori/G. Félix/I. Cahagne/S. Motellier/I. W. Wainer

A Comparative Study of Phenyl Bonded-phase, CB and Romer Clean-up Procedures for Determining Aflatoxin Levels in Maize by Bi-directional HPTLC 177
N. Bradburn/R. D. Coker/K. Jewers

Short Communication

A Simple Way of Closing Quartz Capillary Columns for Static Coating 182
R. Hulík/J. Triska/T. Novák/P. Knobloch

Contents Vol. 29, No. 5/6, March 1990

Editorials

K. I. Sakodynskii 60 Years Old 201

Memorial to Victor Pretorius 203

Originals

HPLC of Synthetic Polymers. Characterization of Polystyrenes by High Performance Precipitation Liquid Chromatography (HPPLC) 205
R. Schultz / H. Engelhardt

Gel Filtration Study of Mushroom Proteins 214
I. Miletic / D. Stanimirovic / S. Stanimirociv

A New Valve for Zone-Electrophoretic Sample Treatment Coupled On-Line with High Performance Liquid Chromatography 217
A. J. J. Debets / K.-P. Hupe / U. A. Th. Brinkman / W. Th. Kok

Synthesis of a Mixed-Functional Silica Support for Direct Injection Analysis of Drugs in Serum by Liquid Chromatography 223
J. Haginaka / J. Wakai

Adsorption of Organics on Activated Carbon Cloth at Zero Surface Coverage 228
S. K. Milonjic / Lj. L. Djuricic / M. J. Polovina

Characterization of C_{18} Chemically Modified Silica-Gel and Porous Glass Phases by High Resolution Solid State NMR Spectroscopy and Other Physico-Chemical Methods 233
B. Buszewski

HPTLC Fluorescence, Enhancement of Glutathione-SBD: Effect of Cyclodextrins, Triton and Alkanes 243
W. R. G. Baeyens / B. Lin Ling / K. Stragier

A Preliminary Study of Non-EMG Peaks 248
N. S. Wu / A. M. Qiu / G. W. Zhao

Analysis of Terpenes from *Ginkgo Biloba* L. Extracts by Reversed Phase High-Performance Liquid Chromatography 251
P. G. Pietta / P. L. Mauri / A. Rava

Effective On-Line Coupling of HPLC and Flame-AAS by Means of Hydraulic High Pressure Nebulization 254
G. Weber / H. Berndt

Factor Analysis and Experiment Design in High-Performance Liquid Chromatography.
IX. Silica vs. Chemically Bonded Phases in Normal Phase-HPLC 259
B. Walczak / M. Dreux / J. R. Chrétien

Selection of Optimal pH and Solvent Composition for the Separation of Organic Acids Using Three-Dimensional Diagrams and a Computer Program 265
F. Szokoli / Zs. Németh / J. Inczédy

Kalman Filter Deconvolution after Cubic Splines Background Removal in the HPLC Determination of Cr(III) and Al(III) as 8-Hydroxyquinolones 269
T. Rotunno / F. Palmisano / G. Tiravanti / P. G. Zambonin

Evaluation of Solute Hydrophobicity by Reversed-Phase High Performance Liquid Chromatography Using Aqueous Binary Mobile Phases 275
A. Kaibara / C. Hohda / N. Hirata / M. Hirose / T. Nakagawa

Contents Vol. 29, No. 7/8, April 1990

Originals

Reversed Phase Liquid Chromatographic Retention Behavior of Polystyrene Homopolymers 313
A. Alhedai / R. E. Boehm / D. E. Martire

Improved Gas Chromatographic Separation of C_6 Epoxides 322
S. Boneva

HPLC of Synthetic Polymers
II. Chromatographic Characterization of Copolymers from Styrene and Acrylonitrile 325
R. Schultz / H. Engelhardt

Determination of Altenuene and Isoaltenuene by Liquid Chromatography – Electrochemical Detection with On-Line Generated Bromine 333
F. Palmisano / A. Sibilia / A. Visconti

Application of HPLC Mobile Phase Optimization Methods to the Detection of Impurities in Bulk Drug Steroids 338
J. Martín Juárez / A. Bermejo / J. L. Bernal / Ma. J. del Nozal / G. A. García

Quantitative GC Determination of Carbon Monoxide by Calibration via the Production of CO from Formic Acid 347
Chen Peng

Anion-Exchange and Size-Exclusion Chromatography of Proteins in Mouse Ascites Fluid: Changes in the Protein Pattern During Tumour Growth *In Vivo* 351
A. Werner / W. Siems / U. Kuckelkorn / T. Grune / C. Schreiter

HPLC in the Investigation of Taxonomic Problems. Classification of Poplar Genotypes. 355
C. Baiocchi / G. Saini / P. L. Bertolo / C. Carpenito / E. Marengo / D. Giacosa

Silver Ion Spray Reagent for the Discrimination of β- and ε-End Groups in Carotenoids on Thin-Layer Chromatograms 363
M. Isaksen / G. W. Francis

Separation of Alkylnaphthalenes by Preparative Liquid Chromatography Using Column Switching Systems 366
J. Kríz / E. Adamcová / L. Vodicka

Discrimination between Linear and Non-Linear Models Describing Retention Data of Alkylbenzenes in Gas-Chromatography 375
K. Héberger

The Glass Insert in Stop-Flow Split Injection 385
Guanghui Liu / Zhenxue Xin

A Refined Physico-Chemical Model of Solute Retention in Reversed-Phase High-Performance Liquid Chromatography with Ternary Mobile Phases 389
T. Kowalska

The Effect of pH on the HPLC Separation of Some Diastereomeric Tripeptides 395
B. Herényi / S. Görög / O. Nyéki / I. Schön / L. Kisfaludy

Contents Vol. 29, No. 9/10, May 1990

Editorial

90th Birthday of Erika Cremer 413

Originals

Use of Membrane Extraction Disks for On-Line Trace Enrichment of Organic Compounds from Aqueous Samples 415
E. R. Brouwer/H. Lingeman/U. A. Th. Brinkman

Liquid Chromatography with Charge Transfer Complexation 419
J. M. Roussel/A. M. Siouffi/M. Julliard/M. Chanon

Accurate Determination of Retention Indices in Programmed Temperature Gas Chromatographyy 429
D. Messadi/F. Helaimia/S. Ali-Mokhnache/M. Boumahraz

Evaluation of the Ability of Different Concentrations of Aqueous Acetone, Aqueous Methanol and Aqueous Acetone: Methanol (1:1) to Extract Aflatoxin from Naturally Contaminated Maize 435
N. Bradburn/R. D. Coker/K. Jewers/K. I. Tomlins (in part)

Headspace Analysis of 1,4-Dioxane in Products Containing Polyethoxylated Surfactants by GC-MS 441
S. C. Rastogi

Information Theory of Optimization in Chromatography: Correlation of Information Functions in Optimization 446
Y. Hayashi/R. Matsuda

L-Porretine (L-3-Carboxy-1,2,3,4-Tetrahydroisoquinoline) as Chiral Selector for the Resolution of Chiral α-Amino-Acids 449
G. Jeanneret-Gris/J. Porret/K. Bernauer

Comparison of the Efficiency of Packed and Capillary Columns to be Used in Supercritical Fluid Chromatography for the Analysis of Nonvolatile Compounds 453
S. Shah/L. T. Taylor

A Comparative Study of Different Multiresidue Methods for the Determination of Pesticides in Fruit Samples by Gas Chromatography 459
F. Hernández Hernández/J. M. Grases/J. Beltrán/J. V. Sancho

Application of a Thermal *in situ* Reaction for Fluorimetric Detection of Carbohydrates on NH_2-Layers 467
R. Klaus/W. Fischer/H. E. Hauck

Effect of Acid Pretreatment of the Silica Substrate on the Stability of Octadecyl Modified Reversed Phases 473
M. Hetem/J. de Haan/H. Claessens/Ph. Mussche/C. Cramers

Computerized Optimization of the Mobile Phase Composition in Gradient Elution Reversed-Phase HPLC 482
S. Heinisch/J.-L. Rocca/M. Kolosky

Comparison of Two Anthryl-Modified Silica Stationary Phases for the HPLC Separation of PAHs and Nitro-PAHs 489
C. Große-Rhode/H. G. Kicinski/A. Kettrup

Outer-Sphere Ligand-Exchange Chromatography with Copper-Loaded Macrocyclic-Bonded Silica Column 495
M. A. Bagnoud/W. Haerdi/J. L. Veuthey

Contents Vol. 29, No. 11/12, June 1990

Originals

The Application of an Evaporative Light Scattering Detector in Polymer Analysis 517
R. Schultz / H. Engelhardt

Concentration of Volatile Organics in Aqueous Solutions on Uncoated Capillary Columns and their Thermal Desorption 523
A. Zlatkis / R. P. J. Ranatunga / B. S. Middleditch

Quantitative Analysis in the V_0 Zone. A Chromatographic Approach by Coupling HPLC with GPC 530
W. Winkle

A Modified Statistical Iteration Technique for the Global Optimization of Multivariates in Chromatographic Separations 537
Xie Minggao / Zhou Chunfeng / Wang Rongviang / Liu Yunshu

Fluoride Determination in Fluorinated Milk by Headspace Gas Chromatography 544
W. Tashkov / I. Benchev / N. Rizov / A. Kolarska

The Deuterium Isotope Effect on the Response of the Electron 547
A. Zlatkis / W. E. Wentworth / R. P. J. Ranatunga / E. C. M. Chen / M. E. Milligan

Effect of the Polar Functional Group of the Solute on Hydrophobic Interaction with the Stationary Ligand in Reversed-Phase High-Performance Liquid Chromatography 551
A. Kaibara / M. Hirose / T. Nakagawa

HPLC Method for the Analysis of Organic Acids, Sugars, and Alcohol in Extracts of Fermenting Cocoa Beans 557
K. I. Tomlins / D. M. Baker / I. J. McDowell

Determination of Impurities in Azidothymidine by HPTLC Densitometry and HPLC 562
H. Tománková / J. Sabartová

The Micro-Trap: An Alternative to Cryofocussing in Capillary Gas Chromatography 571
W. Frank / H. Frank

Effect of Adsorption on the Retention Values in Glass Capillary Columns Coated with OV-101 575
Zhao Guoliang / Chi Rixiao

Reversed-Phase Chromatographic Separation of the Rare Earth Elements 579
M. Adachi / K. Oguma / R. Kuroda

On the Mechanism of Solute Retention in Reversed-Phase HPLC Systems with Methanol-Water Eluent 583
T. Kowalska / P. Kus

Chiral Separation of Propranolol and Its Ester Derivatives on an Ovomucoid-Bonded Silica: Influence of pH, Ionic Strength and Organic Modifier on Retention, Enantioselectivity and Enantiomeric Elution Order 587
J. Haginaka / J. Wakai / K. Takahashi / H. Yasuda / T. Katagi

Retention Characteristics of an Aluminium Oxide HPLC Column 593
T. Cserháti

Toluene Polymer as a New Stationary Phase in Reversed-Phase Column Liquid Chromatography 597
R. Nasuto / L. Kwietniewski

Benzene Emission Comparisons by Gas Chromatography of Leaded versus Unleaded and "Gasohol" versus Straight-Hydrocarbon Fuel Vapors 603
S. Mukerjee

Limitations of the Assumption of Negligible Film Thickness in Capillary Chromatography 606
D. Schisla / P. W. Carr